ctys-configuration-KDE(7) Configuration of Personal CloudComputing-Workspaces

September 29, 2020

Contents	
1 Abstract	2
2 SEE ALSO	3
3 AUTHOR	3
4 COPYRIGHT	3
List of Tables	

List of Figures

1 Abstract

•

The current version is targeting mainly the commandline usage with first simple GUI extensions based on the utility **zenity**. Zenity is part of the Gnome desktop but applicable to KDE as well. The advantage over **kdesk-top** is the support for columns, which is required for graphical starters.

The implementation of a native graphical user interfaces for multiple desktops is going to be provided within next versions.

Thus for now the Gnome description should be used for KDE too. The provided tool **ctys-xdg** could be used for KDE with the option **–force**.

2 SEE ALSO

 $gnome-starter(1) , kdesktop(1) , ctys-xdg(1) , zenity(1) \\ \textbf{For standards:} \\ Freedesktop: < http://www.freedesktop.org> \\ Xorg: < http://www.x.org> \\ \end{cases}$

For implementations:

FVWM: <http://www.fvwm.org> Gnome: <http://www.gnome.org> KDE: <http://www.kde.org> XFCE: <http://www.xfce.org>

3 AUTHOR

< https://unifiedsessionsmanager.sourceforge.io/> < https://github.com/unifiedsessionsmanager>



4 COPYRIGHT

Copyright (C) 2008, 2009, 2010, 2011, 2020 Ingenieurbuero Arno-Can Uestuensoez For BASE package following licenses apply,

- for software see GPL3 for license conditions,
- for documents see GFDL-1.3 with invariant sections for license conditions,

This document is part of the **DOC package**,

 for documents and contents from DOC package see
'Creative-Common-Licence-3.0 - Attrib: Non-Commercial, Non-Deriv' with optional extensions for license conditions.

For additional information refer to enclosed Releasenotes and License files.

